Salbæk Technology Group
support@sal-tech.com
Skype: easy.packaging

H46-10600 Strap Stop Installation Guide for Battery Powered Strapping Tool (H-46)

Edition A
260822 ARD

SUPPORT 24/7: Hallbrookcomponents.com support team is ready 24/7, use online Zendesk, phone, or email. Details later in this guide.

© Copyright 2022 Salbæk Technology Group

INDEX

1. General Information
2. Maintenance Instructions
3. Requirement to do the Installation
4. Tools
5. Spare Part Removal and Installation
6. Test of Completed Assembly and Machine
7. Ordering Spare Parts
8. Hallbrookcomponents.com 24/7 Support and Contact Information
9. Hallbrookcomponents.com Your Partner in Packaging
10. Disclaimer

© Copyright 2022 Salbæk Technology Group

1. GENERAL INFORMATION

This document is a guide for H46-10600 Strap Stop installation for H-46 Battery Powered Strapping Tool.



Figure A – Battery Powered Strapping Tool H-46




Figure B – H46-10600 Strap Stop

© Copyright 2022 Salbæk Technology Group

2. MAINTENANCE INSTRUCTIONS

- Do not use the tool if the switch does not turn on and off. Any tool that cannot be controlled with the switch is dangerous and must be repaired.
- Take the battery pack off the tool before making any adjustments, changing accessories, or storing tools. Such preventive safety measures reduce the risk of accidentally starting the tool.
- Store idle tools out of the reach of children and do not allow persons unfamiliar with the tool or these instructions to operate the tool. Tools are dangerous in the hand of untrained users.
- Maintain tools. Check for misalignment or binding of moving parts, breakage of parts, and any other condition that may affect the tool's operation. If damaged, have the tool repaired before using it again. Many accidents are caused by poor maintenance.
- Use the tool, accessories, and tool bits etc. in accordance with these instructions. Consider the working conditions and the work to be performed. Use of the tool for operations different from those intended could result in a hazardous situation.

3. REQUIREMENTS TO DO THE REPAIR AND ASSEMBLY OF NEW PART(S)

Tool must not be used or repaired by persons not properly trained or knowledgeable with the assembly. Failure to follow the operating and assembly instructions or improper load positioning could result in strap breakage. Become familiar with the tool and keep fingers away from areas that can pinch or cut.

If in doubt contact our support team for further guidance and advice.

4. TOOL LIST FOR THE JOB

- Cleaning cloth
- Phillips screwdriver small/medium size

© Copyright 2022 Salbæk Technology Group

5. SPARE PART REMOVAL AND INSTALLATION

.




Figure C – H-46 Exploded View (Reference)

To Replace the Old H46-10600 Stop Stop with a New One;

- Remove battery from tool. Remove three screws #6.
- Remove End Cover #5.
- Remove screw #4 and Strap Stop (Front) #3. Install the new H46-10600 Strap Stop. Tighten the screw #4 after applying sealants such as Loctite222.
- Fit end cover #5. Tighten the screw #6 after applying sealants such as Loctite222.

6. TEST OF COMPLETED ASSEMBLY AND MACHINE

Once the machine is assembled, secure that the machine is clean, oiled, and ready to run. Plug the machine, turn on the main switch, and let the machine warm up.

Secure that the strap is loaded and that the machine is warm. Do a test strap and follow up at least 4-5 times more to secure that everything is working perfectly.

© Copyright 2022 Salbæk Technology Group

7. ORDERING SPARE PARTS

Plan purchasing spare parts when replacing the H46-10600 Strap Stop.

Link to order:
https://hallbrookcomponents.com/h-46-kronos-battery-powered-strapping-tool/4876-h46-10600-strap-stop-for-16mm.html?search_query=h46-10600&results=1

We advise to secure or order the following parts as well:

- H46-12500 Strap Stop
- H46-60400 Control PCB
- H46-60300 Battery
- H46-61000 (110V) or H46-61010 (220/230/240V) Battery Charger
- H46-10000 (12mm) or H46-10010 (16mm) Tensioning Unit
- H46-60000 (220/230/240V) or H46-60010 (110V) Battery Unit
- Or sign up to our newsletter and get our service kit support bag for free.

© Copyright 2022 Salbæk Technology Group

8. Hallbrookcomponents.com 24/7 SUPPORT & CONTACT INFORMATION

Hallbrookcomponents.com part of Salbæk Technology Group that operates worldwide with office in Many countries. Our 24/7 support and hotline via these channels:

- Email: support@hallbrookcomponents.com
- Zendesk: On our websites https:\\hallbrookcomponents.com
- Skype. Easy.packaging
- Denmark phone: +45 – 7027 2220 or 3695 9804
- USA phone: +1 – 310 773 3423
- Spain phone: +34 – 699 900 987
- Italy phone: +39 – 351 988 0682
- Sweden phone: +46 – 31 799 5398
- Philippines phone: +63 - 916 777 5299
- Hong Kong phone: +852 - 8170 1025

Always check the web for latest or updated phone numbers.



Easy Packaging since 1995.

10. Hallbrookcomponents.com – YOUR PACKAGING SOLUTION PARTNER

SAL-TECH EASY PACKAGING: STRAPPING - WRAPPING - BANDING - CARTON ERECTING/CLOSING - WEIGHING - FORM, FILL & SEAL

WE ARE A INTERNATIONAL DANISH COMPANY - DANISH DESIGN, ENGINEERING & QUALITY - INTERNATIONAL SALES, PRODUCTION AND SERVICE



11. DISCLAIMER

[Disclaimer: It is not the responsibility of HBC/STEP for the service you perform and the choice and securing of skills needed by person doing the service.] All service provided under our sales & delivery terms and conditions, available on our websites.

© Copyright 2022 Salbæk Technology Group